

STATE OF ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

CONVERSION SCIENTIFICATION

001 10 19/1

ENVIRONMENT OF PROTECTION AGENCY

INTER - OFFICE CORRESPONDENCE

DATE:

September 19, 1973

GVATE OF ILLINOIS

MEMO TO:

Division of Water Pollution Control - Surveillance Section

FROM:

Calvin Locker, EPS, Wabash Sub-Unit, Surveillance Section, DWPC

CL

SUBJECT:

CRAWFORD COUNTY - Briggs Manufacturing

On the above date, this writer collected a composited sample of the effluent from Briggs' settling tanks. They have recently changed types of glaze materials in an attempt to eliminate zinc from their discharge and requested that such a sample be collected to determine if their actions were successful. During the visit, Mr. John Moore, Manager of Engineering, and Mr. Jim Thorne, Ceramic Engineer, were interviewed.

Briggs discharge approximately 50,000 gallons of treated effluent each day, in a batch dumping that takes about 4 hours. During the subject visit, this writer collected a portion of the composite sample each 15 minutes, during the 4-hour period of discharge. This sample was then split with Briggs so that we could check our results. Briggs' laboratory analyses indicated the level of zinc to be 0.1 mg/l. The Champaign laboratory got a result of 0.15 mg/l. Both of these figures bear out Briggs' assertion that they have essentially eliminated the zinc in their effluent except for possible trace amounts. Based on these results, it appears that they should easily meet the 1.0 mg/l. level that is required by the Illinois Water Pollution Regulations.

EPA Region 5 Records Ctr.

296437

EVERY INTER-OFFICE LETTER SHOULD HAVE ONLY ONE SUBJECT.
ALL LETTERS TO BE SIGNED . . . NO SALUTATION OR COMPLIMENTARY CLOSING NECESSARY.

Page #2. CRAWFORD COUNTY - Briggs Manufacturing

The presence of zinc in their effluent and sludge disposal were the two main stumbling blocks that were preventing Briggs from obtaining an operating permit. Sludge disposal still remains a problem. According to the Division of Land Pollution Control, the three closest landfills that were permitted to accept the sludge from Briggs were Olney, which is 45 miles away; Flora, 65 miles away; and Mattoon, which is 80 miles away. Briggs checked with each of the landfills and none were willing to take their sludge.

The Crawford County Disposal (landfill), owned by Mr. Marvin Wilder, applied for a supplemental permit to handle the semi-liquid sludge from both Briggs and Marathon Oil. The application was sent back for additional information; i.e., type of waste, amount, soil data, etc. According to a representative of the Division of Land Pollution Control, if Mr. Wilder submits the necessary information, it is quite likely that the landfill will be granted a supplemental permit to handle the sludge, although the permit will be heavily conditioned. Apparently, the Crawford County Disposal has an operating permit from the Agency but has not met all of its conditions.

The above information was passed on to John Moore of Briggs, who indicated that they would encourage the landfill to submit the necessary information to DLPC Permit Section. It appears that Briggs is very anxious to obtain an operating permit. Mr. Moore told this writer that the sludge disposal problem was the last obstacle and as soon as they get it worked out, they will have their consulting engineer resubmit their application.

CL:bh

^{10/5/73}

cc: - K. L. Baumann, Supervisor, Ohio Basin Unit, Surveillance Section, DWPC - DWPC/Permits

SPECIAL	ANALYSIS	FORM

	<u> </u>	CIAL MALISIS F	<u>OKP</u>	
Time Collected 3	100 mg	Sub-Ba	sin Wal	hash
Date Collected 9/	119/77	Collec	tor Lork	9.7
Facility Name:	Facility Nur	mber: 214%	File Town	Robinson
Stream Name(s) Wol		reele	Stream Cod	
Source of Sample: (Ex	,			
	4 hou	n everso	site of	effhent
Physical Observations	, Remarks: Clea	^		
THEOLEGI COSCLIGATIONS	, Kemario		•	
-1	Field Dissolved Oxyge		Field pH	Field Temp.
Flow	Field Dissolved Oxyge		riera pit	rield temp.
Arsenic	·	Coliform/100	ml	BOD
Barium		Fecal Colifo		COD
Boron		Fecal Strep		TS/EC
Cadmium		Algae (Total		Susp.Solids
Copper		Ammonia (N)		Vol.Susp.Solids
Chromium	(tri)	Organic Nitr	ogen (N)	PH (units)
Chromium	(hex)	Nitrate + Ni	trite(N)	Turbidity (JTU)
!Iron (To	tal)	Phosphorus (P)	Hardness
Iron (Di	ssolved)	Chloride		Alkalinity
Lead	\ <u>-</u>	Fluoride		Total Acidity
Manganes	e	Sulfate		Free Acidity
Mercury (Cyanide		Oil
Nickel		-		Other (Specify)
				Other (Specify)
Selenium		Phenol (ppb)	t	OR LAB USE ONLY
Silver	Transported by:		ì	786 Rec'd Synfauth rec' EP 1 9 1973 ine: 5:30
0.15 Zinc	Received by:			s completed: SEP 2 0 1973
Results in mg/l unle otherwise noted.	Transported by:			requested: 1 Tests run: 7
•	Received by:			requested: Tests run:
3/73)	L			Jupervery